

FOOD CONTACT SANITIZING PERFORMANCE:

DIAMOND RTU SANITIZER is a ready-to-use product at 200ppm active and eliminates 99.99% of the following bacteria in 60 seconds in 500 ppm hard water according to the AOAC Germicidal and Detergent Sanitizers test: *Campylobacter jejuni*, *Escherichia coli* 0157:H7, *Listeria monocytogenes*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Yersinia enterocolitica*.

DIAMOND RTU SANITIZER for use in:

- Food processing plants, USDA inspected food-processing facilities, dairy, meat / poultry producing establishments
- Restaurants, bars, cafeterias, institutional kitchens, fast food operations and food storage areas
- Food establishments, coffee shops, donut shops, bagel stores, pizza stores, liquor stores

SOLD BY:



UNION AVE & DUBOIS STREET
EAST RUTHERFORD, NJ 07073
(201) 935-4300

NET CONTENTS: 1 GALLON

© 2020 DIAMOND CHEMICAL CO., INC



TSR No. 7343



DIAMOND

RTU SANITIZER

Sanitizer for Institutional and Industrial Use, School, Dairy, Restaurant, Food Handling and process Areas, Federally Inspected Meat & Poultry Plants, Bar and Institutional Kitchen Use

ACTIVE INGREDIENTS:

Alkyl (C14 60%, C16 30%, C12 5%, C18 5%) dimethyl benzyl ammonium chloride	0.01%
Alkyl (C12 68%, C14 32%) dimethyl ethylbenzyl ammonium chloride	0.01%
INERT INGREDIENTS:	99.98%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION CUIDADO

See right panel for additional precautionary statements

FIRST AID

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 10-15 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EPA Registration No. 10324-107-4238

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Before use as a sanitizer food products and packaging materials must be removed from the room or carefully protected. Prior to application, remove gross food particles and soil by a pre-flush or pre-scrape and when necessary, presoak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution.

TO SANITIZE IMMOBILE HARD NON POROUS ITEMS such as tanks, chopping blocks, countertops, refrigerated storage and display equipment, food processing equipment tables, picnic tables, appliances, stovetops and food work areas: Flood the area with this product for at least 60 seconds, making sure to wet all surfaces completely. Allow sanitized surfaces to adequately drain before contact with food and then air dry. Do not rinse. Change cloth, sponge or towels frequently to avoid redistribution of soil. Change this product at least daily or when this product appears visibly dirty. The used sanitizing solution must not be reused for sanitizing, but can be reused for other purposes such as cleaning.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION, KEEP OUT OF REACH OF CHILDREN. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARD: This product is toxic to fish and aquatic invertebrates.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

EPA Establishment No. 4238-NJ-01